

MALIBU

LUXURY RECLINERS



TECHNICAL SPECIFICATIONS

FEATURES AND BENEFITS

LUXURY UPHOLSTERY

Exchangeable covers, no staples or glue needed. Ease of installation as your crew can put them once all recliners are placed. Easy numbering identification (reflective thread)

NO-SAG SPRINGS

to reinforce lumbar support and bearing capacity.

ATTIC STOCK

2% critical components for on-site inventory

FLAMMABILITY

Compliance with California Technical Bulletin 117 (TB 117) and Crib 5 on some upholstery references

MULTI-CONNECTION SYSTEM

Allows you to connect up to 10 sofas from an electrical outlet

RECLINING MECHANISM

For back and leg extension (with electric actuator)

ACCESSIBILITY

2% of seats that comply with the ADA standard

ADJUSTABLE STROKE MOTORS

58" 60" 62" 64" 66" allows for optimization of sightline, according to the position of each row in the theater room vs the screen.

REMOVABLE CUSHIONS



For an easy access in cleaning and maintenance purposes

METALLIC STRUCTURE

Internal architecture made of 100% high grade steel



ACCESSORIES



NUMBERING AND LETTERING

By seat or by row, plastic, lightened or embroidered, for convenient theater room mapping

FIXED OR SWIVEL TABLES

Wide range of swivel tables with integrated cupholders. Full sized to maximize concession sales

LIGHTING ALTERNATIVES FOR MENU READING

Ideal for dining cinemas, no additional cabling or power required.

ELEVATION SYSTEM

Designing for giving +12" of clearance in order to fast and easy cleaning in and below the seats. Can be activated with recliner handset or with our Mass Open Close System, to facilitate cleaning underneath recliners

PRIVACY PANELS

With partial or total coverage, an excellent option for premium venues, providing your moviegoers with a private space, upgrading their experience.

DYNAMIC PRIVACY PANELS

Allows users to selectively deploy panels between recliners. Groups of patrons of any number can choose to have additional privacy.

CHARGING PORT / WIRELESS CHARGER

Providing your moviegoers the opportunity to charge their cell phones and stay connected.

REGULABLE HEATING SYSTEM

Increases comfort and provide a chilly ambience at the touch of a button

SPECIAL EMBROIDERY PATTERNS

A unique look for your luxury recliners

MASS OPEN CLOSE SYSTEM

Allows for efficient work of cleaning staff by collectively controlling recliners in a theater room

ELECTRIC HEA DREST

Increases comfort and provide better sightlines.

DBOX

Realistic, haptic and immersive entertainment experiences.

TECHNICAL SPECIFICATIONS

STRUCTURE

- Structural frame made of high quality CR round steel tubing, 18 gauge, of 1" (25mm) diameter for the back, and 3/4" (19mm) for the seat.
- No-Sag springs to reinforce lumbar support and bearing capacity of the cushion.
- Panels made of CR rectangular steel tubing, 16 gauge, of 1/2" x 1" (12 x 25mm) and reinforced with internal metal plates made of 11 gauge HR steel
- Plastic platforms

RECLINING MECHANISM

- Electrically driven by an adjustable actuator
- Includes one source for every two sofas
- Manual version (without actuators)

BACKREST AND SEAT

- Backrest and seat molded in cold-injected polyurethane foam, upholstered finishes in vinyl.

MOLDED FOAM

LUXURY FIRM FOAM

Density

Back 40 - 45 Kg/m³
Cushion 45 - 50 Kg/m³

Hardness

Back 3.6 - 4.6 Kg/f
Cushion 3.9 - 4.9 Kg/f



Density

Back 40 - 45 Kg/m³
Cushion 45 - 50 Kg/m³

Hardness

Back 2.9 - 3.6 Kg/f
Cushion 3.9 - 4.3 Kg/f

Extra cushy feel to
improve the comfort!

FINISHES


Vinyl upholstery

Thermolaminated
or laminated




UPHOLSTERY


Vinyl - Pranna



Vinyl - Valencia




Vinyl - XtremeSoft Bi-elastic




TABLES

Thermolaminated



High Pressure Laminated



DECORATIVE STITCHING



*A wide range of finishes is available. Please ask for the entire finish guide.

INORCA SAS

Calle 18 #118-85 Avenida Cañasgordas - 54 Cali, Colombia
Tel: +57 2 4896999 - Toll free from USA: +1 786 209 0299 /
www.inorca.com / info@inorca.com.co

MALIBU cinemas